



Halogen Bulbs, Led Bulbs
Incandescent bulbs

Optimized for
breakthrough performance






city rider

H4 12V 60/55W P43t

- High Performance Automotive Halogen Bulb
- Super Dip Beam Halogen Bulb
- Amazing Brightness
- Optimized gas composition for Longer Life
- 3500 Kelvin



H4



Fig. No. 1

Standard Packing : 200 Pcs.



Fig. No. 2

Standard Packing : 200 Pcs.

H4



city rider

ULTRA COOL

H4 12V 60/55W P43t

- High Performance Automotive Halogen Bulb
- Super Dip Beam Halogen Bulb
- Amazing Brightness
- Optimized gas composition for Longer Life
- 4000 Kelvin



BLISTER PACK

H1.



Fig. No. 3

Standard Packing : 144 Pcs.

H3.



Fig. No. 4

Standard Packing : 144 Pcs.

H4.




Fig. No. 5

Standard Packing : 144 Pcs.

H7.



Fig. No. 6

Standard Packing : 144 Pcs.

All Halogen Bulbs are available in Blister Pack

- ◆ Blister Design May Change any time.
- ◆ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
- ◆ All Products shown in this Catalogue are replacement parts.

H1.



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
7	H1 12V 55W +	12V	55W	P14.5s	'E' APPROVED
	H1 12V 100W*	12V	100W	P14.5s	
	H1 24V 70W	24V	70W	P14.5s	'E' APPROVED
	H1 24V 100W*	24V	100W	P14.5s	
8	H1 12V 55W BLUE	12V	55W	P14.5s	'E' APPROVED
	H1 12V 100W BLUE*	12V	100W	P14.5s	
	H1 24V 70W BLUE	24V	70W	P14.5s	'E' APPROVED
	H1 24V 100W BLUE*	24V	100W	P14.5s	

+ AIS Approved

Standard Packing : 1000 / 1200 Pcs., Bulb Kits : 100 Sets



Fig. No. 7

Fig. No. 8



Bulb Kit

H3.

FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
9	H3 12V 55W +	12V	55W	PK22s	'E' APPROVED
	H3 12V 100W*	12V	100W	PK22s	
	H3 12V 130W*	12V	130W	PK22s	
	H3 24V 70W +	24V	70W	PK22s	'E' APPROVED
	H3 24V 100W*	24V	100W	PK22s	
	H3 24V 130W*	24V	130W	PK22s	
10	H3 12V 55W BLUE	12V	55W	PK22s	'E' APPROVED
	H3 12V 100W BLUE*	12V	100W	PK22s	
	H3 12V 130W BLUE*	12V	130W	PK22s	
	H3 24V 70W BLUE	24V	70W	PK22s	'E' APPROVED
	H3 24V 100W BLUE*	24V	100W	PK22s	
	H3 24V 130W BLUE*	24V	130W	PK22s	

+ AIS Approved

Standard Packing : 1000 / 1200 Pcs., Bulb Kits : 100 Sets




Fig. No. 9

Fig. No. 10



Bulb Kit

* For Off Road Use Only.
 ♦ Kit Sticker Design May Change any time.
 ♦ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
 ♦ All Products shown in this Catalogue are replacement parts.

HALOGEN BULBS



H4



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
11	H4 12V 60/55W +	12V	60/55W	P43t	'E' APPROVED
	H4 12V 100/90W*	12V	100/90W	P43t	
	H4 12V 130/90W*	12V	130/90W	P43t	
	H4 12V 100/90CP*	12V		P43t	
	H4 24V 75/70W +	24V	75/70W	P43t	'E' APPROVED
	H4 24V 100/90W*	24V	100/90W	P43t	
	H4 24V 130/90W*	24V	130/90W	P43t	
	H4 24V 100/90CP*	24V		P43t	

+ AIS Approved

Standard Packing : 400 / 500 Pcs., Bulb Kits : 100 Sets
All Bulbs are also available with P45t Base.



Fig. No. 11



Bulb Kit

FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
12	H4 12V 60/55W BLUE	12V	60/55W	P43t	'E' APPROVED
	H4 12V 100/55W BLUE*	12V	100/55W	P43t	
	H4 12V 100/90W BLUE*	12V	100/90W	P43t	
	H4 12V 130/90W BLUE*	12V	130/90W	P43t	
	H4 12V 100/90CP BLUE*	12V		P43t	
	H4 24V 75/70W BLUE	24V	75/70W	P43t	'E' APPROVED
	H4 24V 100/90W BLUE*	24V	100/90W	P43t	
	H4 24V 130/90W BLUE*	24V	130/90W	P43t	
	H4 24V 100/90CP BLUE*	24V		P43t	

Standard Packing : 400 / 500 Pcs., Bulb Kits : 100 Sets
All Bulbs are also available with P45t Base.



Fig. No. 12

- * For Off Road Use Only.
- ◆ Kit Sticker Design May Change any time.
- ◆ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
- ◆ All Products shown in this Catalogue are replacement parts.



H4

HI-POWER



Fig. No. 13



- + **High Performance**
Automotive Halogen Bulb
- + **Optimized gas composition**
for Longer Life
- + **Engineered filament** for Long Beam.
- + **Amazing Brightness**
- + **Vibration Resistant.**
- + **Only Standard UV Cut Globes are Suitable for use on Head Lamp with Polycarbonate Lenses**

FIG NO.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	Approval
13	H4	12V	100/90W	P43t	
	H4	24V	100/90W	P43t	

Standard Packing : 400/500 Pcs.
All Bulbs are also available with P45t Base.

H4

DAY-NIGHT VISION

H4 12V 60/55W P43t

- Easier to see oncoming vehicles in low light situations.
- Easier to spot cars in glare, shade, dusk etc.
- Easier to detect approaching vehicles from far away.
- Easier recognition of moving traffic and the parked vehicles.

Standard Packing : 400 / 500 Pcs.
All Bulbs are also available with P45t Base.



Fig. No. 14



H4



H4 12V 60/55W P43t

- Amazing Performance with Multi Surface Reflector Head Lamps
- Enhanced Light Output
- Elegance of Blue lamp with light Output of Clear lamp
- HID Colour Simulation
- Higher Colour Temperature
- Perfect White Light
- Better Reflection of Road Signs & Markings

Patent Pending

Orbit Blue Bulb also available in
12V, 24V P43t, P45t, Standard & 100/90 W.
Standard Packing : 200 Pcs.



Fig. No. 15

ULTRA VISION

50% EXTRA

H4

H4 12V 60/55W P43t

- +50% More Light on Road.
- +20 Meter longer beam
- Enhances Peripheral Vision
- Also improves road side visibility and increases safety.

Standard Packing : 400 / 500 Pcs.
All Bulbs are also available with P45t Base.



Fig. No. 16



H4



Fig. No. 17

ULTRA GOLD



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE
17	H4 12V 60/55W GOLD*	12V	60/55W	P43t
	H4 12V 100/90W GOLD*	12V	100/90W	P43t
	H4 24V 75/70W GOLD*	24V	75/70W	P43t
	H4 24V 100/90W GOLD*	24V	100/90W	P43t

Standard Packing : 400/500 Pcs.
 All Bulbs are also available with P45t Base.
 H3 12V 55W Gold - Standard Packing : 1000 Pcs.

H4

Quartz



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
18	H4 12V 100/90W*	12V	100/90W	P43t	
	H4 12V 130/90W*	12V	130/90W	P43t	
	H4 12V 100/90CP*	12V		P43t	
	H4 24V 100/90W*	24V	100/90W	P43t	
	H4 24V 130/90W*	24V	130/90W	P43t	

Standard Packing : 400 / 500 Pcs., Bulb Kits : 100 Sets
 All Bulbs are also available with P45t Base.



Fig. No. 18

HALOGEN BULBS



H7



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
19	H7 12V 55W ⁺	12V	55W	PX26d	'E' APPROVED
	H7 12V 100W*	12V	100W	PX26d	
	H7 24V 70W	24V	70W	PX26d	'E' APPROVED
	H7 24V 100W*	24V	100W	PX26d	
20	H7 12V 55W BLUE	12V	55W	PX26d	'E' APPROVED
	H7 12V 100W BLUE*	12V	100W	PX26d	
	H7 24V 70W BLUE	24V	70W	PX26d	'E' APPROVED
	H7 24V 100W BLUE*	24V	100W	PX26d	

+ AIS Approved

Standard Packing : 400 / 500 Pcs., Bulb Kits : 100 Sets



H8



H9



H11



FIG NO.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	APPROVAL
21	H8	12V	35W	PGJ 19-1	'E' APPROVED
22	H9	12V	65W	PGJ 19-5	'E' APPROVED
23	H11	12V	55W	PGJ 19-2	'E' APPROVED

Standard Packing : 400 Pcs.

* For Off Road Use Only.
 ♦ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
 ♦ All Products shown in this Catalogue are replacement parts.



9000 SERIES



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
24	9004 12V 65/45W	12V	65/45W	P29t	'DOT'
	9004 12V 100/90W*	12V	100/90W	P29t	
25	9004 12V 65/45W BLUE	12V	65/45W	P29t	
	9004 12V 100/90W BLUE*	12V	100/90W	P29t	
26	9007 12V 65/55W	12V	65/55W	PX29t	'DOT'
	9007 12V 100/90W*	12V	100/90W	PX29t	
27	9007 12V 65/55W BLUE	12V	65/55W	PX29t	
	9007 12V 100/90W BLUE*	12V	100/90W	PX29t	



Standard Packing : 400 Pcs., Bulb Kits : 50 Sets
All items are available in 100/80W

9000 SERIES



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
28	9004 12V 100/90W Orbit Blue*	12V	100/90W	P29t	
	9004 12V 130/100W Orbit Blue*	12V	130/100W	P29t	
29	9005 12V 80W Orbit Blue*	12V	80W	P20d	
30	9006 12V 80W Orbit Blue*	12V	80W	P22d	
31	9007 12V 100/90W Orbit Blue*	12V	100/90W	PX29t	
	9007 12V 130/100W Orbit Blue*	12V	130/100W	PX29t	

Standard Packing : 400 Pcs., Bulb Kits : 50 Sets
All items are available in Standard Rating

* For Off Road Use Only.
♦ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
♦ All Products shown in this Catalogue are replacement parts.

HALOGEN BULBS

9000 SERIES



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE	APPROVAL
32	9005 12V 65W	12V	65W	P20d	'DOT'
	9005 (HB3) 12C 60W	12V	60W	P20d	'E' Approved
	9005 12V 80W*	12V	80W	P20d	
33	9005 12V 65W BLUE*	12V	65W	P20d	
	9005 12V 80W BLUE*	12V	80W	P20d	
34	9006 12V 55W	12V	55W	P22d	'DOT'
	9006 (HB4) 12V 51W	12	51W	P22d	'E' Approved
	9006 12V 80W*	12V	80W	P22d	
35	9006 12V 55W BLUE*	12V	55W	P22d	
	9006 12V 80W BLUE*	12V	80W	P22d	



Standard Packing : 400 Pcs., Bulb Kits : 50 Sets

880 SERIES



FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE
36	884	12V	27W	PG13
37	889	12V	27W	PG13
38	890	12V	27W	PG13

Standard Packing : 400 Pcs.

* For Off Road Use Only.
 ♦ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
 ♦ All Products shown in this Catalogue are replacement parts.



HS1



Fig. No. 39



HI-POWER

- + High Performance Automotive Halogen Bulb
- + Optimized gas composition for Longer Life
- + Engineered filament for Long Beam.
- + Amazing Brightness
- + Vibration Resistant.
- + Only Standard UV Cut Globes are Suitable for use on Head Lamp with Polycarbonate Lenses

FIG NO.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	Approval
39	HS1+	12V	45/40W	Px43t	

+ AIS Approved

Standard Packing : 400 Pcs.

HS1



Fig. No. 40



Fig. No. 41

FIG NO.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	Approval
40	HS1	12V	35/35W	Px43t	'E' Approved
41	HS1 Blue	12V	35/35W	Px43t	'E' Approved

Standard Packing : 400 Pcs.



HS1



HS1 12V 35/35W Px43t 'E'

- Amazing Performance with Multi Surface Reflector Head Lamps
- Enhanced Light Output
- Elegance of Blue lamp with light Output of Clear lamp
- HID Colour Simulation
- Higher Colour Temperature
- Perfect White Light
- Better Reflection of Road Signs & Markings
- 'E' Approved



Fig. No. 42

Patent Pending
Standard Packing : 200 Pcs.

M5

FIG.NO.	PART NO.	VOLTAGE	WATTAGE	BASE
43	M5 SP 12V 25/25W	12V	25/25W	P15-d-1P
	M5 SP 12V 35/35W	12V	35/35W	P15-d-1P
	M5 SP 12V 25/25W Blue	12V	25/25W	P15-d-1P
	M5 SP 12V 35/35W Blue	12V	35/35W	P15-d-1P
	M5 SP 12V 25/25W Orbit Blue	12V	25/25W	P15-d-1P
	M5 SP 12V 35/35W Orbit Blue	12V	35/35W	P15-d-1P
44	M5 TP 12V 25/25W	12V	25/25W	P15-d-3P
	M5 TP 12V 35/35W	12V	35/35W	P15-d-3P
	M5 TP 12V 25/25W Blue	12V	25/25W	P15-d-3P
	M5 TP 12V 35/35W Blue	12V	35/35W	P15-d-3P
	M5 TP 12V 25/25W Orbit Blue	12V	25/25W	P15-d-3P
	M5 TP 12V 35/35W Orbit Blue	12V	35/35W	P15-d-3P
45	M5 BTO 12V 25/25W	12V	25/25W	Ba20d
	M5 BTO 12V 35/35W	12V	35/35W	Ba20d
	M5 BTO 12V 25/25W Blue	12V	25/25W	Ba20d
	M5 BTO 12V 35/35W Blue	12V	35/35W	Ba20d
	M5 BTO 12V 25/25W Orbit Blue	12V	25/25W	Ba20d
	M5 BTO 12V 35/35W Orbit Blue	12V	35/35W	Ba20d
46	M5 BPF 12V 35/35W	12V	35/35W	P36d
	M5 BPF 12V 35/35W Blue	12V	35/35W	P36d

Standard Packing : 400 Pcs.



Fig. No. 43



Fig. No. 44



Fig. No. 45



Fig. No. 46

◆ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
◆ All Products shown in this Catalogue are replacement parts.



INTRODUCING
SHORTLY



Room Lamp Kit

FIG. No.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	COLOUR	LUMEN
47	12LED Room Lamp	12V	2W	SV 8.5/BA 9s/WEDGE BASE	Cool White	240± 15%
	24LED Room Lamp	12V	4.5W	SV 8.5/BA 9s/WEDGE BASE	Cool White	500± 15%

Fig. No. 47

Standard Packing : 200 Pcs.

Dash Board & Meter Lamps

FIG. No.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	COLOUR	LUMEN
48	LED TM53	12V	0.6W	BA 7s	Red/Blue/ Cool/Warm White	20 ± 15%
	LED 24TM	24V	0.6W	BA 7s	Red/Blue/ Cool/Warm White	20 ± 15%
49	LED TD53	12V	0.6W	BA 9s	Red/Blue/ Cool/Warm White	20 ± 15%
50	LED 1204	12V	0.6W	BA 9s	Red/Blue/ Cool/Warm White	35 ± 20%
	LED 2404	24V	0.6W	BA 9s	Red/Blue/ Cool/Warm White	35 ± 20%



Fig. No. 48



Fig. No. 49



Fig. No. 50

Standard Packing : 500 Pcs.

Festoon Bulbs

FIG. No.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	COLOUR	LUMEN
51	LED 12842	12V	0.6W	SV 7	Cool/Warm White	45 ± 20%
52	LED 12844	12V	0.6W	SV 8.5	Cool/Warm White	45 ± 20%
	LED 24844	24V	0.6W	SV 8.5	Cool/Warm White	45 ± 20%
53	LED 12866	12V	1.2W	SV 8.5	Cool/Warm White	115 ± 20%
	LED 24866	24V	1.2W	SV 8.5	Cool/Warm White	115 ± 20%



Fig. No. 51



Fig. No. 52



Fig. No. 53

Standard Packing : 500 Pcs.

Side, Rear & Number Plate Lamps (single Contact)

FIG. No.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	COLOUR	LUMEN
54	LED 67	12V	1.5W	BA 15s	Cool/Warm White	50 ± 20%
	LED 2467	24V	1.5W	BA 15s	Cool/Warm White	50 ± 20%
55	LED 91	12V	2W	BAU 15s	Cool/Warm White	125 ± 20%
	LED 2491	24V	2W	BAU 15s	Cool/Warm White	125 ± 20%
	LED 91(A)	12V	2W	BAU 15s	Cool/Warm White	75 ± 20%



Fig. No. 54



Fig. No. 55

Standard Packing : 200 Pcs.

Wedge Type Lamp

FIG. No.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	COLOUR	LUMEN
56	LED T10(W5W)	12V	1W	2.1X9.5D	Cool/Warm White	50 ± 20%
	LED T10(W5W)	24V	1W	2.1X9.5D	Cool/Warm White	50 ± 20%
	LED T10(WY5W)	12V	1W	2.1X9.5D	Amber	30 ± 20%
	LED T10(WY5W)	24V	0.8W	2.1X9.5D	Amber	30 ± 20%



Fig. No. 56

Standard Packing : 500 Pcs.

Tail Lamp & Side Lamp Bulbs

FIG. No.	PART NO.	VOLTAGE	WATTAGE	BASE CAP	COLOUR	LUMEN
57	LED 1141	12V	4W	BA 15s	Cool/Warm White	460 ± 15%
	LED 2441	24V	4W	BA 15s	Cool/Warm White	460 ± 15%
58	LED 1016	12V	4W/1.2	BAY 15d	Cool White	440 ± 15% / 35 ± 20%
	LED 2454	24V	4W/1.2	BAY 15d	Cool White	440 ± 15% / 40 ± 20%
57	LED 1141Y	12V	4W	BAU 15s	Amber	280 ± 20%
	LED 2441Y	24V	4W	BAU 15s	Amber	280 ± 20%



Fig. No. 57



Fig. No. 58

Standard Packing : 200 Pcs.

MINIATURE INCANDESCENT BULBS



Dash Board & Meter Lamps

FIG NO.	ECE REF. 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
61		TM53	12V	2W	BA 7s	6.8
		24TM	24V	2W	BA 7s	6.8
60		TD 53	12V	2W	BA 9s	8.8
		53A	12V	3W	BA 9s	8.8
		24TD	24V	2W	BA 9s	8.8
59	T4W (12)	1204*	12V	4W	BA 9s	8.8
	T4W (24)	2404+	24V	4W	BA 9s	8.8
60		53B	12V	3.4W	BA 9s	8.8




* 'E' APPROVED BULB + AIS Approved

Standard Packing : 2000 Pcs.

Festoon Bulbs

FIG NO.	ECE REF. 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
64		12842	12V	3W	SV 7	9.0
63	C5W	12844	12V	5W	SV 8.5	11.0
	C5W	24844	24V	5W	SV 8.5	11.0
		12845	12V	5W	SV 8.5	11.0
		24845	24V	5W	SV 8.5	11.0
62	C10W	12866	12V	10W	SV 8.5	15.5
	C10W	24866	24V	10W	SV 8.5	15.5



Standard Packing : 1000 Pcs.

Side, Rear & Number Plate Lamps (single Contact)

FIG NO.	ECE REF. 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
65	R5W +	67*	12V	5W	BA 15s	19
	R5W	2467*	24V	5W	BA 15s	19
	R10W +	91*	12V	10W	BA 15s	19
	R10W	2491	24V	10W	BA 15s	19
66	RY10W +	91 (A)	12V	10W	BAU 15s	19
65	R10W STEM +	91 (S)	12V	10W	BA 15s	19



* 'E' APPROVED BULB

Standard Packing : 1000 Pcs.

Wedge Type Lamps

FIG NO.	ECE REF. 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
68		T5	12V	1.2W	W2x4.6D	5
		T5	12V	2W	W2x4.6D	5
	T1.4W	T5	14V	1.4W	W2x4.6D	5
		T5	24V	1.2W	W2x4.6D	5
67		T10	12V	1.7W	W2.1x9.5D	10
		T10	12V	2W	W2.1x9.5D	10
	W3W	T10	12V	3W	W2.1x9.5D	10
		T10	12V	3.4W	W2.1x9.5D	10
	W5W +	T10	12V	5W	W2.1x9.5D	10
		T10	24V	5W	W2.1x9.5D	10
69	WY5W +	T10	12V	5W	W2.1x9.5D	10
67		T10	24V	3.4W	W2.1x9.5D	10
69A	WY10W +	T15	12V	10W	W2.1X9.5D	15



+ AIS Approved

Standard Packing : 2000 Pcs.

◆ All the Trademarks mentioned in the Catalogue are the property of their respective owners.
◆ All Products shown in this Catalogue are replacement parts.



Tail Lamp & Side Lamp Bulbs

For Parking, Flasher & Stop Lamps

FIG NO.	ECE R 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
72	P21W ⁺	1141*	12V	21W	BA 15s	25
	P21W ⁺	2441*	24V	21W	BA 15s	25
70	P21/5W ⁺	1016	12V	21/5W	BAY 15d	25
	P21/5W	2454	24V	21/5W	BAY 15d	25
		1176	12V	21/5W	BA 15d	25
		2476	24V	21/5W	BA 15d	25
71	PY21W(Amber) ⁺	1141Y	12V	21W	BAU 15s	25
	PY21W (Amber)	2441Y	24V	21W	BAU 15s	25
	PY21/5W(Amber) ⁺	1016Y	12V	21/5W	BAY 15d	25



* 'E' APPROVED BULB + AIS Approved

Standard Packing : 1000 Pcs.

Head Lamp Bulbs

B.P.F. Bulb-Double Filament with Shield

FIG NO.	ECE R 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
73		12BP5040P	12V	50/40W	P36d	28
		24BP5444P	24V	54/44W	P36d	28

Standard Packing : 600 Pcs.



Fig. No. 73

Head Lamp Bulbs

Symmetrical Bulbs-Double Filament with Shield

FIG NO.	ECE R 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
74	S1	12BO2525S	12V	25/25W	BA20d	35
	S2 ⁺	12BO3535S	12V	35/35W	BA20d	35

+ AIS Approved

Standard Packing : 600 Pcs.



Fig. No. 74

Assymetrical Bulb-double Filament With Shield

FIG NO.	ECE R 37	PART NO.	VOLTAGE	WATTAGE	BASE CAP	SHELL DIA (MM)
75	R2 ⁺	12AS 4540S*	12V	45/40W	P45t	40
	R2 ⁺	24AS5550 S*	24V	55/50W	P45t	40

* 'E' APPROVED BULB + AIS Approved

Standard Packing : 400 Pcs.



Fig. No. 75